

Entity Description: This entity represents the data portal view containing the finest-grained details about

National Health Service Corps (NHSC) job opportunities.

Congressional District Name

Definition: This attribute represents the name of the U.S. Congressional District.

Valid Values: Expected values are text strings for Congressional District names. For

example, Alabama District 03. Can be NULL.

HDW Transformation: (1) For states with two or more representatives in the U.S. House of

Representatives, the Congressional District Name is created by concatenating the state name, the word "District", and the applicable Congressional District number. (2) For states with a single representative in the U.S. House of Representatives, the Congressional District Name is created by concatenating the state name and the words "At Large". (3) For the District of Columbia where there is special representation in the U.S. House of Representatives, the Congressional District Name is "District of Columbia Delegate". (4) For the U.S. territories where there is special representation in the U.S. House of Representatives, the Congressional District Name is created by concatenating the territory name and either the words "Delegate" or "Resident Commissioner" as appropriate. (5) For the

territories where there is no representation in the U.S. House of Representatives the Congressional District Name is only the text "(No Congressional Representation)". (6) This attribute is a common element which may be used in multiple data marts. At the time of a data mart refresh, this attribute is entered as a snapshot of the current state of the data and is not refreshed until the data mart is refreshed. Each data mart refresh is a

snapshot in time.

Data Restriction: Public

Business Rule / Format: None.

Organization: U.S. House of Representatives

Update Frequency: As Required

Column Name: CONG_DIST_NM

Synonym Columns: None.

HDW Data Type: varchar(50)

User Friendly Names: Congressional District Name; Congressional District



Data Warehouse Record Create Date

Definition: This attribute represents the date on which the data was processed by the

HRSA Data Warehouse.

Valid Values: Expected values are date time where the time is the midnight or the zero

hour. For example, 2013-10-15 00:00:00.000. Cannot be NULL.

HDW Transformation: (1) System date on which the data set was refreshed. (2) This attribute is a

common element which may be used in multiple data marts. At the time of a data mart refresh, this attribute is entered as a snapshot of the current state of the data and is not refreshed until the data mart is refreshed. Each data

mart refresh is a snapshot in time.

Data Restriction: Public

Business Rule / Format:

Organization: HRSA Data Warehouse

Update Frequency: As Required

Column Name: DW_RECORD_CREATE_DT

None.

Synonym Columns: DW_RECORD_CREATE_DT; DwRecCrtDT

HDW Data Type: smalldatetime

User Friendly Names: Data Warehouse Record Create Date; SNAP; Snapshot; Snapshot Date

Update Date (Metadata): 06/16/2017



HPSA Source Identification Number

Definition: This attribute represents the primary identifier for a Health Professional

Shortage Area (HPSA) as a complete unit in the source data system.

Valid Values: Expected values are alphanumeric text strings of 6 or 10 characters in length

the first digit should correspond to the Health Professional Shortage Area

(HPSA) discipline. For example, 178030; 142999420A; 678030;

606999062V; 778030; or 7789997804. Cannot be NULL.

HDW Transformation: None.

Data Restriction: Public

Business Rule / Format: All component Health Professional Shortage Areas (HPSAs) will share the

same HPSA Source Identification Number (ID). The first character of the HPSA Source ID must be either a 1, 6, or 7. This value designates the discipline class of the HPSA. The format from the source data system is ABBCCCDDDEE where the following describes the components which the makeup of the HPSA ID: A = Discipline Class (numeral) Must be a 1, 6, or 7 BB = State Code (numerals) CCC = County Code (numerals) DDDD = HPSA Service Area Code (numerals) EE = Service Area Component (numerals and letters) Note: (1) If DDDD is blank, then the HPSA Service Area Component is

either a County HPSA or Service Area Record.

Organization: HRSA, Bureau of Health Workforce (BHW), Division of Policy and Shortage

Designation (DPSD)

Update Frequency: Daily

Column Name: HPSA_SOURCE_ID

Synonym Columns: HPSA_SOURCE_ID; HpsSrcID

HDW Data Type: varchar(12)

User Friendly Names: HPSA Source Identification Number; HPSA ID; HPSA Source ID



HPSA Score

Definition: This attribute represents the Health Professional Shortage Area (HPSA)

Score developed by the National Health Service Corps (NHSC) in

determining priorities for assignment of clinicians. The scores range from 1

to 26 where the higher the score, the greater the priority.

Valid Values: Expected values are integers 0 to 26. For example, 0; 1; 6; 18; or 26. Cant

be NULL.

HDW Transformation: The reported Health Professional Shortage Area (HPSA) score is the score

that is listed in the HRSA, Bureau of Health Workforce (BHW), Division of Policy and Shortage Designation (DPSD) management information system of record. The HRSA Data Warehouse performs no validation on this value. The basis for calculating the Primary Care HPSA Score is (Note: GE is defined as greater than or equal to: IMR is defined as Infant Mortality Rate: and LBW is defined as Low Birth Weight): 1. Score for population-to-full-time equivalent primary care physician (PCP) Ratio > 10,000:1, or No PCPs and Population GE 2,500 5 points 10,000:1 > Ratio GE 5,000:1, or No PCPs and Population GE 2,000 4 points 5,000:1 > Ratio GE 4,000:1, or No PCPs and Population GE 1,500 3 points 4,000:1 > Ratio GE 3,500:1, or No PCPs and Population GE 1000 2 points 3,500:1 > Ratio GE 3,000:1, or No PCPs and Population GE 500 1 point These points are doubled in calculating the final score. 2. Score for percent of population with incomes below poverty level (P) P GE 50% 5 points 50% > P GE 40% 4 points 40% > P GE 30% 3 points 30% > P GE 20% 2 points 20% > P GE 15% 1 point P < 15% 0 points 3. Infant Health Index: IMR GE 20 or LBW GE 13 5 points 20>IMR>18 or

13>LBW>11 4 points 18>IMR>15 or 11>LBW>10 3 points 15>IMR>12 or 10>LBW> 9 2 points 12>IMR>10 or 9>LBW> 7 1 point IMR<20 or LBW< 7 0 points 4. Score for travel distance/time to nearest source of accessible care outside the HPSA (Nearest Source of Care is defined as the closest location where the residents of the area or population that is designated have access to comprehensive primary care services.) Time GE 60 minutes or Distance GE 50 miles 5 points 60 min > Time GE 50 min or 50 mi > Distance GE 40 mi 4 points 50 min > Time GE 40 min or 40 mi > Distance GE 30 mi 3 points 40 min > Time GE 30 min or 30 mi > Distance GE 20 mi 2 points 30 min > Time GE 20 min or 20 mi > Distance GE 10 mi 1 point Time < 20 min or Distance < 10 mi 0 points NULL values are assigned when one or more inputs to the scoring formula are missing or unavailable for a specific HPSA.

For further information about shortage areas refer to the

http://www.hrsa.gov/shortage/ website.

Data Restriction: Public

Business Rule / Format: None.

Organization: HRSA, Bureau of Health Workforce (BHW), Division of Policy and Shortage

Designation (DPSD)

Update Frequency: Daily

Column Name: HPSA_SCORE

Synonym Columns: HPSA_SCORE; HpsScore

HDW Data Type: numeric(9,0)
User Friendly Names: HPSA Score
Update Date (Metadata): 04/21/2017



Federal Indian Health Service

Definition: This attribute represents the computed element which identifies site as a

Federal Indian Health Service (IHS) site.

Valid Values: Expected values are one, character, alphabetic text strings. The valid values

are: Y and N. Can be NULL.

HDW Transformation: This value is the decoding of the associated Federal Indian Health Service

Status Indicator (Y decoded to Yes and N decoded to No) and must agree

with the corresponding value in the related indicator field.

Data Restriction: Public

Business Rule / Format: None.

Organization: HRSA Data Warehouse

Update Frequency: On Demand

Column Name: SITE_IHS_DESC

Synonym Columns: None.

HDW Data Type: varchar(5)

User Friendly Names: Federal Indian Health Service

Update Date (Metadata): 07/12/2014



Federal Bureau of Prisons

Definition: This attribute represents the computed element which identifies the site as a

Federal Bureau of Prisons (BOP) site.

Valid Values: Expected values are one, character, alphabetic text strings. The valid values

are: Y and N. Can be NULL.

HDW Transformation: Decoding of the associated Federal Bureau of Prisons site indicator, set to

yes when the indicator is Y and set this element to No when indicator is N.

Data Restriction: Public

Business Rule / Format: None.

Organization: HRSA Data Warehouse

Update Frequency: On Demand

Column Name: SITE_BOP_DESC

Synonym Columns: None.

HDW Data Type: varchar(5)

User Friendly Names: Federal Bureau of Prisons



Immigration and Customs Enforcement

Definition: This attribute represents the computed element which identifies the site as a

U.S. Immigration and Customs Enforcement (ICE) site.

Valid Values: Expected values are one, character, alphabetic text strings. The valid values

are: Y and N. Can be NULL.

HDW Transformation: Decoding of the associated Immigration and Customs Enforcement site

indicator, set to yes when the indicator is Y and set this element to No when

indicator is N.

None.

Data Restriction: Public

Business Rule / Format:

Organization: HRSA Data Warehouse

Update Frequency: On Demand

Column Name: SITE_ICE_DESC

Synonym Columns: None.

HDW Data Type: varchar(5)

User Friendly Names: Immigration and Customs Enforcement

Update Date (Metadata): 07/12/2014



Congressional District Number

Definition: This attribute represents the two (2) character numeric depiction of the

Congressional District (if any) in a state or territory in which a geographic

feature is located.

Valid Values: Expected values are two character numeric text strings. For States with more

than one Congressional District, the value starts at 01 and increments by 1 for each additional Congressional District in the State. States that comprise only a single (voting) Congressional District have the value 00. Non-voting Districts (such as those in the District of Columbia and some U.S. Territories) have the value 98. Territories that do not have representation have the value

99. Can be NULL.

HDW Transformation: This attribute is a common element which may be used in multiple data

marts. At the time of a data mart refresh, this attribute is entered as a snapshot of the current state of the data and is not refreshed until the data

mart is refreshed. Each data mart refresh is a snapshot in time.

Data Restriction: Public

Business Rule / Format: None.

Organization: HRSA Data Warehouse

Update Frequency: As Required

Column Name: CONG_DIST_NUM

Synonym Columns: None.

HDW Data Type: char(2)

User Friendly Names: Congressional District Number



State Abbreviation

Definition: This attribute represents the U.S. Postal Service (USPS) two alphabetic

character code for a U.S. state or U.S. territory associated with a location

where an entity is situated.

Valid Values: Expected values are two character alphabetic text strings representing the

state. The valid values are: XX; AK; AL; AR; AS; AZ; CA; CO; CT; DC; DE; FL; FM; GA; GU; HI; IA; ID; IL; IN; KS; KY; LA; MA; MD; ME; MH; MI; MN; MO; MP; MS; MT; NC; ND; NE; NH; NJ; NM; NV; NY; OH; OK; OR; PA; PR; PW; RI; SC; SD; TN; TX; UM; UT; VA; VI; VT; WA; WI; WV; and WY. Can be

NULL.

HDW Transformation: This attribute is a common element which may be used in multiple data

marts. At the time of a data mart refresh, this attribute is entered as a snapshot of the current state of the data and is not refreshed until the data

mart is refreshed. Each data mart refresh is a snapshot in time.

Data Restriction: Public

Business Rule / Format: None.

Organization: HRSA Data Warehouse

Update Frequency: As Required

Column Name: STATE_ABBR

Synonym Columns: STATE_ABBR; StAbbr

HDW Data Type: char(2)

User Friendly Names: State Abbreviation; State Code; State_Cd



HCC Description

Definition: This attribute represents the health center status for the entity (Yes or No).

Valid Values: Expected values are single character text strings. The valid values are: Y

and N. Can be NULL.

HDW Transformation: This value is the decoded health center status (Y decoded to Yes and N

decoded to No) and must agree with the corresponding value in the related

indicator field.

Data Restriction: Public

Business Rule / Format: None.

Organization: HRSA Data Warehouse

Update Frequency: Daily

Column Name: HCC_DESC

Synonym Columns: None.

HDW Data Type: varchar(5)

User Friendly Names: HCC Description; Health Center; Is Health Center

Update Date (Metadata): 01/04/2016



Name of Grantee

Definition: This attribute represents the site name of the primary site associated with the

Health Professionals Opportunities List (HPOL) (also called National Health

Service Corps (NHSC) Jobs) site.

Valid Values: Expected values are text strings containing the name of the organization. For

example, LEWIS & CLARK CITY-CO. HEALTH DEPT.; The New York & Presbyterian Hospital, Inc.; University Clinical, Education & Research

Associates (UCERA); or Trover Clinic Foundation, Inc. (d.b.a. Trover Health

System). Cannot be NULL.

HDW Transformation: None.

Data Restriction: Public

Business Rule / Format: None.

Organization: HRSA, Bureau of Health Workforce (BHW), National Health Service Corps

(NHSC)

Update Frequency: Daily

Column Name: PRIMARY_LOCATION_SITE_NM

Synonym Columns: None.

HDW Data Type: varchar(100)

User Friendly Names: Name of Grantee; Primary Location Site Name

Update Date (Metadata): 12/18/2015



Vacancy Category Description

Definition: This attribute represents the category description for the Health

Professionals Opportunities List (HPOL) vacancy associated with this entity.

Valid Values: Expected values are alphabetic text strings used as a description. The valid

values are: NHSC Loan Repayor and NHSC Scholar. Cannot be NULL.

HDW Transformation: None.

Data Restriction: Public

Business Rule / Format: None.

Organization: HRSA, Bureau of Health Workforce (BHW), National Health Service Corps

(NHSC)

Update Frequency: Daily

Column Name: VACANCY_CAT_DESC

Synonym Columns: None.

HDW Data Type: varchar(50)

User Friendly Names: Vacancy Category Description; Program Obligation; Vacancy Category



Vacancy Projected Hire Date

Definition: This attribute represents the date on which the associated Health

Professionals Opportunities List (HPOL) vacancy was projected hired.

Valid Values: Expected values are dates where there is no time component (essentially

midnight or the zero hour). For example, 2014-01-10 00:00:00.000 or 2013-

09-17 00:00:00.000. Can be NULL.

HDW Transformation: These values are taken directly from the source data and no validation is

performed on this data by the HRSA Data Warehouse (HDW). These dates

have any time component stripped off (essentially midnight or the zero hour).

Data Restriction: Public

Business Rule / Format: None.

Organization: HRSA, Bureau of Health Workforce (BHW), National Health Service Corps

(NHSC)

Update Frequency: Daily

Column Name: VACANCY_PROJECTED_HIRE_DT

Synonym Columns: None.

HDW Data Type: datetime

User Friendly Names: Vacancy Projected Hire Date; Projected Hire Date; Projected Hire Date Filter

03/26/2017 **Update Date (Metadata):**



Vacancy Sequence Number

Definition: This attribute represents the sequence number for the Health Professionals

Opportunities List (HPOL) vacancy with respect to the Health Professional

Service Area (HPSA) with which it is associated.

Valid Values: Expected values are numeric text strings without leading zeroes. For

example, 11504; 29384; 99995; or 102485. Cannot be NULL.

HDW Transformation: None.

Data Restriction: Public

Business Rule / Format: None.

Organization: HRSA, Bureau of Health Workforce (BHW), National Health Service Corps

(NHSC)

Update Frequency: Daily

Column Name: VACANCY_SEQ_NUM

Synonym Columns: None.

HDW Data Type: varchar(10)

User Friendly Names: Vacancy Sequence Number; Vacancy ID; Vacancy Identification Number

Update Date (Metadata): 03/26/2017



Vacancy Specialty Description

Definition: This attribute represents the specialty description for the Health

Professionals Opportunities List (HPOL) vacancy, National Health Service

Corp (NHSC) job, associated with this entity.

Valid Values: Expected values are integers. The valid values are: General Practice;

Unknown; Internal Medicine - Geriatrics; Obstetrics and Gynecology; No Specialty; Pediatrics; Psychiatry; Geriatrics; Family Practice; Adult; Internal Medicine; Other Specialty; Family Practice with OB; Womens Health; Family

Practice - Geriatrics; and Emergency Medicine. Can be NULL.

HDW Transformation: None.

Data Restriction: Public

Business Rule / Format:

Organization: HRSA, Bureau of Health Workforce (BHW), National Health Service Corps

(NHSC)

None.

Update Frequency: Daily

Column Name: VACANCY_SPEC_DESC

Synonym Columns: None.

HDW Data Type: varchar(50)

User Friendly Names: Vacancy Specialty Description; Specialty; Vacancy Specialty



Vacancy Discipline

Definition: This attribute represents the vacancy discipline for the jobs associated with

the Health Professionals Opportunities List (HPOL).

Valid Values: Expected values are alphabetic text strings used as a description. The valid

values are: Certified Nurse Midwife; Dentist; Health Service Psychologist; Licensed Clinical Social Worker; Licensed Professional Counselor; Marriage and Family Therapist; Nurse Practitioner; Nurse Practitioner (Specialty Psychiatry); Nurse Practitioner or Physician Assistant; Physician; Physician Assistant; Physician Assistant; Physician Assistant (Specialty Psychiatry); Psychiatric Nurse Specialist; Registered Dental Hygienist; or Unknown. Cannot be NULL.

HDW Transformation: None.

Data Restriction: Public

Business Rule / Format: None.

Organization: HRSA, Bureau of Health Workforce (BHW), National Health Service Corps

(NHSC)

Update Frequency: As Required

Column Name: VACANCY_DISCIPLINE_DESC

Synonym Columns: None.

HDW Data Type: varchar(50)

User Friendly Names: Vacancy Discipline

Update Date (Metadata): 12/18/2015



HPSA Type

Definition: This attribute represents the Health Professional Shortage Area (HPSA) type

status for the entity (these types can be categorized as a geographic area, a

population group, or a facility).

Valid Values: Expected values are alphabetic text strings of capital letters. The valid values

are: AK NA; AM IN; AREA; HPSA GEO; HPSA POP; HPSA GEO HN; CHC; CT; IHS; LAL; MCD; OFAC; POP; PRSN; RHC; SCTY; SMH; and UNK. Can

be NULL.

HDW Transformation: Values of AREA, CT, SCTY, MCD, and POP apply only to data migrated

from the historical source system Application Submission and Processing

System (ASAPS) and are retained for historical purposes only.

Data Restriction: Public

Business Rule / Format: None.

Organization: HRSA, Bureau of Health Workforce (BHW), Division of Policy and Shortage

Designation (DPSD)

Update Frequency: Daily

Column Name: HPSA_TYP

Synonym Columns: None.

HDW Data Type: varchar(10)

User Friendly Names: HPSA Type



Complete County Name

Definition: This attribute represents the proper county name associated with a specified

data element.

Valid Values: Expected values are alphabetic text strings for the proper county name. For

example, Not Determined; Hawaii County; Prince William County; Tinian Municipality; Western District; Winchester City; Winn Parish; Wotje; Yakutat Borough; Yap State; Yauco Municipio; or Yukon-Koyukuk Census Area. Can

be NULL.

HDW Transformation: (1) This attribute is formulated by concatenating the County Dimension table

element County Name with County Dimension table element County Description and processed to remove sequential duplicated words. (2) This attribute is a common element which may be used in multiple data marts. At the time of a data mart refresh, this attribute is entered as a snapshot of the current state of the data and is not refreshed until the data mart is refreshed.

Each data mart refresh is a snapshot in time.

Data Restriction:PublicBusiness Rule / Format:None.

Organization: HRSA Data Warehouse

Update Frequency: As Required

Column Name: LIST_BOX_COUNTY_NM

Synonym Columns: None.

HDW Data Type: varchar(100)

User Friendly Names: Complete County Name; County, County Name; County, County Name; List

Box County Name



Data Warehouse Record Create Date Text

Definition: This attribute represents the date on which the data was processed by the

HRSA Data Warehouse.

Valid Values: Expected values are text strings representing a date value in the format

yyy/mm/dd. For example, 2014/01/10 or 2013/09/17. Cannot be NULL.

HDW Transformation: (1) System date on which the data set was refreshed converted to a

character string formatted as yyyy/mm/dd (four digit year slash two digit month slash two digit day). (2) This attribute is a common element which may be used in multiple data marts. At the time of a data mart refresh, this attribute is entered as a snapshot of the current state of the data and is not refreshed until the data mart is refreshed. Each data mart refresh is a

snapshot in time.

Data Restriction: Public

Business Rule / Format: None.

Organization: HRSA Data Warehouse

Update Frequency: As Required

Column Name: DW_RECORD_CREATE_DT_TXT

Synonym Columns: DW_RECORD_CREATE_DT_TXT; DwRecCtDtT

HDW Data Type: varchar(10)

User Friendly Names: Data Warehouse Record Create Date Text; SNAP; Snapshot Date; Snapshot

Date String; Snapshot Date Text



Geocoding Artifact Address Primary X Coordinate

Definition: This attribute represents the primary longitude in decimal degrees (x

coordinate) of an entity based on its address.

Valid Values: Expected values are negative numbers with eight decimals of precision. For

example, -178.30602700 or -66.94988200. Can be NULL.

HDW Transformation: (1) Standard Processing for Most Data Sets: This value is assigned based on

geoprocessing using the standard HRSA Data Warehouse (HDW) address standardization and processing rules. When an address cannot be

geocoded, the value is set to NULL. The accuracy of a match returned by a

search depends on the amount and quality of the address information submitted. For further information about match accuracy, please refer to the

Esri ArcGIS Resources, ArcGIS REST API at the http://resources.arcgis.com/en/help/arcgis%2Drest

%2Dapi/index.html#//02r300000017000000 web page. (2) Health Professional Shortage Area (HPSA) Data Set: There are some HPSA facilities for which this value is provided directly by the source data system (no transformation). (3) This attribute is a common attribute that is part of multiple data marts and entities. At the time of a data mart refresh, this attribute is a snapshot of the current state of the data and is not refreshed until the next refresh of the data mart. Each data mart refresh is a snapshot

in time.

None.

Data Restriction: Public

Organization: Esri

Business Rule / Format:

Update Frequency: As Required

Column Name: X

Synonym Columns: None.

HDW Data Type: numeric(38,8)

User Friendly Names: Geocoding Artifact Address Primary X Coordinate; Address Primary X

Coordinate; Latitude; Longitude; Organ Transplantation Center Longitude



Geocoding Artifact Address Primary Y Coordinate

Definition: This attribute represents the primary latitude in decimal degrees (y

coordinate) of an entity based on its address.

Valid Values: Expected values are positive numbers with eight decimals of precision. For

example, 18.91747300 or 71.32993600. Can be NULL.

HDW Transformation: (1) Standard Processing for Most Data Sets: This value is assigned based on

geoprocessing using the standard HRSA Data Warehouse (HDW) address

standardization and processing rules. When an address cannot be

geocoded, the value is set to NULL. The accuracy of a match returned by a search depends on the amount and quality of the address information submitted. For further information about match accuracy, please refer to the

Esri ArcGIS Resources, ArcGIS REST API at the http://resources.arcgis.com/en/help/arcgis%2Drest

%2Dapi/index.html#//02r300000017000000 web page. (2) Health Professional Shortage Area (HPSA) Data Set: There are some HPSA facilities for which this value is provided directly by the source data system (no transformation). (3) This attribute is a common attribute that is part of multiple data marts and entities. At the time of a data mart refresh, this attribute is a snapshot of the current state of the data and is not refreshed until the next refresh of the data mart. Each data mart refresh is a snapshot

in time.

None.

Data Restriction: Public

Organization: Esri

Business Rule / Format:

Update Frequency: As Required

Column Name: Y

Synonym Columns: None.

HDW Data Type: numeric(38,8)

User Friendly Names: Geocoding Artifact Address Primary Y Coordinate; Address Primary Y

Coordinate; Latitude; Longitude; Organ Transplantation Center Latitude



Site R&R Expiration Date

Definition: This attribute represents the National Health Service Corps (NHSC)

recruitment and retention (R&R) expiration date.

Valid Values: Expected values are dates where there is no time component (essentially

midnight or the zero hour). For example, 2014-01-10 00:00:00.000 or 2013-

09-17 00:00:00.000. Cannot be NULL.

HDW Transformation: These values are taken directly from the source data and no validation is

performed on this data by the HRSA Data Warehouse (HDW). These dates

have any time component stripped off (essentially midnight or the zero hour).

Data Restriction: Public

This date is automatically populated in the source system based on when the **Business Rule / Format:**

recruitment and retention (R&R) application was approved.

Organization: HRSA, Bureau of Health Workforce (BHW)

Update Frequency: Daily

Column Name: SITE_NHSC_RR_EXPR_DT

Synonym Columns: None.

HDW Data Type: datetime

User Friendly Names: Site R&R Expiration Date; Site Recruitment and Retention Expiration Date

Update Date (Metadata): 12/18/2015



Vacancy Type

Definition: This attribute represents the description denoting the position type status

(i.e., is the position half-time or full-time).

Valid Values: Expected values are single character text strings. The valid values are: Full-

Time and Half-Time. Can be NULL.

HDW Transformation: If the value of the Part-Time Indicator attribute for this element is Y set this

description attribute to Half-Time; else if the Part-Time Indicator value is N set this description attribute to Full-Time; otherwise the set this description

attribute to NULL.

Data Restriction: Public

Business Rule / Format: None.

Organization: HRSA Data Warehouse

Update Frequency: On Demand

Column Name: VACANCY_TYP_DESC

Synonym Columns: None.

HDW Data Type: varchar(10)

User Friendly Names: Vacancy Type

Update Date (Metadata): 12/18/2015



Site Type Description

Definition: This attribute represents the characterization of the primary health care

service site.

Valid Values: Expected values are alphabetic text strings used as a description. The valid

values are: Federally Qualified Health Centers (FQHC); Federally Qualified Health Center (FQHC) Look-Alike; Certified Rural Health Clinic (RHC); American Indian Health Facility; Correctional Facility; Private Practice; Other Health Facility Critical Assess Health (CALIV) School Based Clinic.

Health Facility; Critical Access Hospital (CAH); School Based Clinic; Community Outpatient Facility; State or Local Health Department; Community Mental Health Center (CMHC); Mobile Unit; and Free Clinic.

Can be NULL.

HDW Transformation: None.

Data Restriction: Public

Business Rule / Format:

Organization: HRSA, Bureau of Health Workforce (BHW)

None.

Update Frequency: Daily

Column Name: SITE_TYP_DESC

Synonym Columns: None.

HDW Data Type: varchar(250)

User Friendly Names: Site Type Description; Site Type



Site Subtype Description

Definition: This attribute represents the site subordinate or secondary type.

Valid Values: Expected values are alphabetic text strings used as a description. The valid

values are: Community Health Center (CHC); Migrant Health; Homeless Program; Public Housing Program; School Based Program; Federal Indian Health Service; Tribal/638 Health Facility; Dual Funded; Urban Indian Health Program; Federal Prison; State Prison; Mobile Clinic; Immigration and Customs Enforcement (ICE) Health Service Corps (IHSC); Provider-based; Independent; Solo Practice; Group Practice; Locally Run; State Run;

Hospital Affiliated; and Non Hospital Affiliated. Can be NULL.

HDW Transformation: None.

Data Restriction: Public

Business Rule / Format: None.

Organization: HRSA, Bureau of Health Workforce (BHW)

Update Frequency: Daily

Column Name: SITE_SUB_TYP_DESC

Synonym Columns: None.

HDW Data Type: varchar(250)

User Friendly Names: Site Subtype Description; Site Subtype



Rural Status

Definition: This attribute represents the description of the rural status (Yes or No) for the

entity.

Valid Values: Expected values are single character text strings. The valid values are: Y

and N. Can be NULL.

HDW Transformation: This attribute is the decoding of the rural status indicator, Y is set to Yes and

N is set to No.

Data Restriction: Public

Business Rule / Format: None.

Organization: HRSA Data Warehouse

Update Frequency: On Demand

Column Name: RURAL_DESC

Synonym Columns: None.

HDW Data Type: varchar(5)

User Friendly Names: Rural Status



Tribal Status

Definition: This attribute represents the computed element which identifies the Tribal

Health Facility site status (Yes or No).

Valid Values: Expected values are one, character, alphabetic text strings. The valid values

are: Y and N. Can be NULL.

HDW Transformation: This value is the decoding of the associated Tribal Status Indicator (Y

decoded to Yes and N decoded to No) and must agree with the

corresponding value in the related indicator field.

Data Restriction: Public

Business Rule / Format: None.

Organization: HRSA Data Warehouse

Update Frequency: On Demand

Column Name: SITE_TRB_DESC

Synonym Columns: None.

HDW Data Type: varchar(5)

User Friendly Names: Tribal Status



Common County Name with State Abbreviation

Definition: This attribute represents the HRSA Data Warehouse (HDW) concatenation

of the complete county name and the state abbreviation.

Valid Values: Expected values are text strings for county name, comma, and state

abbreviation. For example, Fairfax County, VA; Honolulu County, HI; Winn

Parish, LA; or Yauco Municipio, PR. Can be NULL.

HDW Transformation: This attribute is a common element which may be used in multiple data

marts. At the time of a data mart refresh, this attribute is entered as a snapshot of the current state of the data and is not refreshed until the data mart is refreshed. Each data mart refresh is a snapshot in time. The value is the concatenation of the county proper name, a comma, a space, and the

state abbreviation.

Data Restriction: Public

Business Rule / Format: None.

Organization: HRSA Data Warehouse

Update Frequency: As Required

Column Name: CMN_COUNTY_NM_STATE_ABBR

Synonym Columns: CMN_COUNTY_NM_STATE_ABBR; CCntStAbbr

HDW Data Type: varchar(100)

User Friendly Names: Common County Name with State Abbreviation; Common County Name;

County; County Name

Update Date (Metadata): 04/21/2017



Common Region Name

Definition: This attribute represents the formal name for the U.S. Department of Health

and Human Services (HHS) region associated with the entity location or

address.

Valid Values: Expected values are alphabetic text strings formatted as "Region XXXX"

where the XXX is a valid roman numeral (I through X). The valid values are: Region I; Region II; Region III; Region IV; Region V; Region VI; Region VII;

Region VIII; Region IX; and Region X. Can be NULL.

HDW Transformation: This attribute is a common element which may be used in multiple data

marts. At the time of a data mart refresh, this attribute is entered as a snapshot of the current state of the data and is not refreshed until the data

mart is refreshed. Each data mart refresh is a snapshot in time.

Data Restriction: Public

Business Rule / Format: None.

Organization: HRSA Data Warehouse

Update Frequency: As Required

Column Name: CMN_REGION_NM

Synonym Columns: CMN_REGION_NM; CRegNM

HDW Data Type: varchar(50)

User Friendly Names: Common Region Name; Common HHS Region Name; HHS Region; HHS

Region Name; Region Name



Common Region Code

Definition: This attribute represents the U.S. Department of Health and Human Services

(HHS) region code.

Valid Values: Expected values are two character numeric text strings representing the

region. The valid values are: 01; 02; 03; 04; 05; 06; 07; 08; 09; and 10. Can

be NULL.

None.

HDW Transformation: This attribute is a common element which may be used in multiple data

marts. At the time of a data mart refresh, this attribute is entered as a snapshot of the current state of the data and is not refreshed until the data

mart is refreshed. Each data mart refresh is a snapshot in time.

Data Restriction: Public

Business Rule / Format:

Organization: HRSA Data Warehouse

Update Frequency: As Required

Column Name: CMN_REGION_CD

Synonym Columns: CMN_REGION_CD; CRegCD

HDW Data Type: char(2)

User Friendly Names: Common Region Code; Common HHS Region Code; HHS Region Code



Common State Abbreviation

Definition: This attribute represents the U.S. Postal Service (USPS) two alphabetic

character code for a U.S. state or U.S. territory associated with a location

where an entity is situated.

Valid Values: Expected values are two character alphabetic text strings representing the

state. The valid values are: XX; AK; AL; AR; AS; AZ; CA; CO; CT; DC; DE; FL; FM; GA; GU; HI; IA; ID; IL; IN; KS; KY; LA; MA; MD; ME; MH; MI; MN; MO; MP; MS; MT; NC; ND; NE; NH; NJ; NM; NV; NY; OH; OK; OR; PA; PR; PW; RI; SC; SD; TN; TX; UM; UT; VA; VI; VT; WA; WI; WV; and WY. Can be

NULL.

HDW Transformation: This attribute is a common element which may be used in multiple data

marts. At the time of a data mart refresh, this attribute is entered as a snapshot of the current state of the data and is not refreshed until the data

mart is refreshed. Each data mart refresh is a snapshot in time.

Data Restriction: Public

Business Rule / Format: None.

Organization: HRSA Data Warehouse

Update Frequency: As Required

Column Name: CMN_STATE_ABBR

Synonym Columns: CMN_STATE_ABBR; CStAbbr

HDW Data Type: char(2)

User Friendly Names: Common State Abbreviation; Common State Name; State Abbreviation



Common State County FIPS Code

Definition: This attribute represents the concatenated Federal Information Processing

Standard (FIPS) state and county codes.

Valid Values: Expected values are five digit numeric text strings. For example, 01001.

Cannot be NULL.

HDW Transformation: This attribute is a common element which may be used in multiple data

marts. At the time of a data mart refresh, this attribute is entered as a snapshot of the current state of the data and is not refreshed until the data

mart is refreshed. Each data mart refresh is a snapshot in time.

Data Restriction: Public

Business Rule / Format: None.

Organization: HRSA Data Warehouse

Update Frequency: As Required

Column Name: CMN_STATE_COUNTY_FIPS_CD

Synonym Columns: CMN_STATE_COUNTY_FIPS_CD; CStCntFips

HDW Data Type: varchar(5)

User Friendly Names: Common State County FIPS Code; State County FIPS Code



Common State FIPS Code

Definition: This attribute represents the State Federal Information Processing Standard

(FIPS) code identifying the two numeric character string assigned by the National Institute of Standards and Technology (NIST) to states, the District

of Columbia, and U.S. territories.

Valid Values: Expected values are two character numeric text strings representing the

state or territory. The valid values are: XX; 01; 02; 04; 05; 06; 08; 09; 10; 11; 12; 13; 15; 16; 17; 18; 19; 20; 21; 22; 23; 24; 25; 26; 27; 28; 29; 30; 31; 32; 33; 34; 35; 36; 37; 38; 39; 40; 41; 42; 44; 45; 46; 47; 48; 49; 50; 51; 53; 54;

55; 56; 60; 64; 66; 68; 69; 72; 70; 74; and 78. Cannot be NULL.

HDW Transformation: This attribute is a common element which may be used in multiple data

marts. At the time of a data mart refresh, this attribute is entered as a snapshot of the current state of the data and is not refreshed until the data

mart is refreshed. Each data mart refresh is a snapshot in time.

Data Restriction: Public

Business Rule / Format: None.

Organization: HRSA Data Warehouse

Update Frequency: As Required

Column Name: CMN_STATE_FIPS_CD

Synonym Columns: CMN_STATE_FIPS_CD; CStFips

HDW Data Type: char(2)

User Friendly Names: Common State FIPS Code; State FIPS Code



Common State Name

Definition: This attribute represents the state or territory name.

Valid Values: Expected values are alphabetic text strings representing the name of the

state or territory. The valid values are: Foreign Country: Not Available; Alabama; Alaska; American Samoa; Arizona; Arkansas; California; Colorado; Connecticut; Delaware; District of Columbia; Federated States of Micronesia; Florida; Georgia; Guam; Hawaii; Idaho; Illinois; Indiana; Iowa; Kansas; Kentucky; Louisiana; Maine; Marshall Islands; Maryland; Massachusetts; Michigan; Minnesota; Mississippi; Missouri; Montana; Nebraska; Nevada; New Hampshire; New Jersey; New Mexico; New York; North Carolina; North Dakota; Northern Mariana Islands; Ohio; Oklahoma; Oregon; Pennsylvania; Puerto Rico; Republic of Palau; Rhode Island; South Carolina; South Dakota; Tennessee; Texas; U.S. Minor Islands; U.S. Virgin Islands; Utah; Vermont; Virginia; Washington; West Virginia; Wisconsin; and Wyoming.

Can be NULL.

HDW Transformation: This attribute is a common element which may be used in multiple data

marts. At the time of a data mart refresh, this attribute is entered as a snapshot of the current state of the data and is not refreshed until the data

mart is refreshed. Each data mart refresh is a snapshot in time.

Data Restriction: Public

Business Rule / Format: None.

Organization: HRSA Data Warehouse

Update Frequency: As Required

Column Name: CMN_STATE_NM

Synonym Columns: CMN_STATE_NM; CStNM

HDW Data Type: varchar(50)

User Friendly Names: Common State Name; State; State Name



Common ZIP Code

Definition: This attribute represents the postal code associated with an entity address.

For the purposes of the HRSA Data Warehouse this value is normally a five character U.S. Postal Service (USPS) Zone Improvement Plan (ZIP) Code.

Valid Values: Expected values are five character numeric text strings in the HRSA Data

Warehouse postal code format (#####). For example, 20852 or 96780. Can

be NULL.

HDW Transformation: This attribute is a common element which may be used in multiple data

marts. At the time of a data mart refresh, this attribute is entered as a snapshot of the current state of the data and is not refreshed until the data

mart is refreshed. Each data mart refresh is a snapshot in time.

Data Restriction: Public

Business Rule / Format: None.

Organization: HRSA Data Warehouse

Update Frequency: As Required

Column Name: CMN_ZIP_CD

Synonym Columns: CMN_ZIP_CD; CZipCD

HDW Data Type: varchar(5)

User Friendly Names: Common ZIP Code; Common Postal Code; ZIP Code

Update Date (Metadata): 04/21/2017



Common City Name with State Abbreviation

Definition: This attribute represents the city name in which the entity is physically

located.

Valid Values: Expected values are city names formatted in mixed case. For example,

Birmingham. Cannot be NULL.

HDW Transformation: Changed, as necessary, as part of the HRSA Data Warehouse address

standardization process.

Data Restriction: Public

Business Rule / Format: None.

Organization: HRSA Data Warehouse

Update Frequency: As Required

Column Name: CMN_CITY_NM

Synonym Columns: CMN_CITY_NM; CCityNM

HDW Data Type: varchar(102)

User Friendly Names: Common City Name with State Abbreviation; Common City Name



Common State FIPS Code Congressional District Number

Definition: This attribute represents the concatenation of the State Federal Information

Processing Standard (FIPS) and Congressional District Number Code in

which the entity is located.

Valid Values: Expected values are four digit numeric text strings with leading zeros. For

example, 0643. Can be NULL.

HDW Transformation: (1) This attribute identifies the specific legal or administrative geographic

area to which the entity (record) is located or associated. (2) This attribute is a common element which may be used in multiple data marts. At the time of a data mart refresh, this attribute is entered as a snapshot of the current state of the data and is not refreshed until the data mart is refreshed. Each

data mart refresh is a snapshot in time.

Data Restriction: Public

Business Rule / Format: None.

Organization: HRSA Data Warehouse

Update Frequency: As Required

Column Name: CMN_STATE_FIPS_CONG_DIST_NUM

Synonym Columns: None.

HDW Data Type: varchar(4)

User Friendly Names: Common State FIPS Code Congressional District Number; State FIPS Code

Congressional District Number

Update Date (Metadata): 05/01/2016